

# 62



## PREDATOR 62

SPECIFICATION



Superb agility, powerful performance and a top speed of 34 knots make the Predator 62 a sensational drive. A cruising range of up to 270 miles, strong offshore abilities and luxurious features throughout make the 62 a supremely satisfying boat to share with family and friends. Accommodating six and giving you a crew option, the Predator 62 can be tailored to suit your lifestyle.

- A: Lower saloon
- B: Owner's stateroom
- C: Forward VIP stateroom
- D: WC and shower room
- E: Guest cabin
- F: Upper saloon
- G: Forward sunbather
- H: All anchor



## PRINCIPAL CHARACTERISTICS

|  |                                      |                         |
|--|--------------------------------------|-------------------------|
| Length overall – (incl. pulpit & platform) | 19.60m                               | 64'4"                   |
| Length hull – (incl. platform)             | 19.10m                               | 62'8"                   |
| Length waterline – (@ half load)           | 14.67m                               | 48'2"                   |
| Beam – (maximum)                           | 5.00m                                | 16'5"                   |
| Draft – (maximum incl. stern gear)         | 1.54m                                | 5'1"                    |
| Displacement – (@ half load)               | 29000kg                              | 63800 lb                |
| Fuel capacity                              | 3000 litres                          | 660 GB gal. 792 US gal. |
| Fresh water capacity                       | 700 litres                           | 154 GB gal. 185 US gal. |
| Propulsion                                 | Twin submersed props in semi-tunnels |                         |
| Engine options                             | up to 2200 PS (total)                |                         |
| Fuel options                               | Diesel                               |                         |
| Generators                                 | Standard                             |                         |
|  | 9kW @ 50Hz (Euro)                    |                         |
|  | 15.5kW @ 60Hz (US)                   |                         |
|  | Upgrade                              |                         |
|  | 13kW @ 50Hz (Euro)                   |                         |
|  | up to 37 knots*                      |                         |
|  | 28 knots*                            |                         |
|  | up to 270 nautical miles*            |                         |

Maximum speed  
Cruising speed  
Range

## PRINCIPAL FEATURES

Electric winch with deck and cockpit controls  
Hot and cold swimming shower  
Swimming ladder  
Full wet bar with ice maker, griddle, cool box and sink with hot and cold water  
Foot level courtesy lighting  
Radar, autopilot, electronic speedlog depth sender, and VHF radio  
Hydraulic power steering  
Trim tabs  
Stainless steel sliding doors to cockpit  
Flat-screen televisions in all cabins  
Hi-Fi DVD/CD surround system  
CD player for cockpit  
Ceramic hob  
Electric refrigerator and freezer  
Microwave/grill  
Vacuum toilets and holding tank  
Hot and cold water system  
Automatic fire extinguishers  
Automatic bilge pumps  
AC shorepower/battery charger  
Slow speed generator with silent exhaust  
Fresh water marina connection  
Teak bathing platform and steps  
Hydraulic lifting platform  
Antifouling

All items included in standard specification.

US specification includes:  
Air conditioning  
Upgraded generator  
US Coast Guard build regulations  
US specification appliances

Optional extras:  
Air conditioning  
Upgraded generator  
Teak cockpit  
Teak deck saloon  
Bow thruster  
Single berth crew cabin with toilet



## STANDARD SPECIFICATIONS

### 1 Construction

Hand-laid GRP  
Gel coat including stripes  
Vinylster skin coat with powderbond mat  
Stitched multi-axial reinforced single skin bottom  
Balsa core hull topides  
PVC foam core deck and superstructure  
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

### 2 Deck

Fittings all in stainless steel  
8 x stainless steel deck cleats  
Purple and cockpit rails  
Stainless steel fendering with rubber insert  
Curved safety glass windscreen  
Stainless steel bow roller with anchor stop  
Stainless steel bow plate  
Delta anchor and 45m chain (galvanised)  
Electric winch and capstan with deck and cockpit controls  
Chain locker – fender stowage  
Fender fix bar under anchor locker lid  
Fuel filler port and starboard  
Fresh water filter  
IMCO navigation lights  
2 x pantograph swimline wipers and washers  
Garage for jet ski (not available with crew cabin option)  
Ensign staff and socket

### 3 Bathing platform

Teak-laid bathing platform and steps  
Hot and cold swimming shower  
Fresh water marina connection  
Dockside AC shore power connection  
Stainless steel swimming ladder  
Hydraulic lifting platform

### 4 Aft cockpit

Self draining  
Stern safety door  
Cockpit speakers  
Wet/dry sink with hot and cold water, cold line, ice maker, bottle cooler and griddle  
Upholstered seating around cockpit table  
Convertible sunbather  
Lockers beneath seating  
Cockpit carpet  
Overhead cockpit lights 24v  
Low-level courtesy lights 24v  
Engine room access hatch  
Boat hook

### 5 Helm console

Double standstill helm and co-pilot seat  
Storage beneath helm seats  
Chart area  
Console with burn type walnut fascia  
Hydraulic power steering  
Wooden rimmed steering wheel  
Full analogue engine instrumentation  
Radar open scanner  
Autopilot  
Electronic speed log  
Depth sounder  
Rudder indicator  
Water tank gauge  
Fuel tank gauge  
VHF radio  
Trim tab controls  
Single lever engine controls  
Compass  
Waterproof plug and socket  
Horn  
Windscreen wipers and washers  
Glass holders  
Hand-held fire extinguisher

### 6 Deck saloon

Large dining area with folding table  
Storage beneath seats  
Flatcreen television  
DVD/CD in-v sound system  
Cupboards  
Carpets  
Overhead halogen lighting 24v  
Main control panel (AGDCI)  
Generator controls  
Double AC socket  
Hand-held fire extinguisher  
Carpets cushions  
Choice of lacquered interior finishes and veneers

### 7 Galley

Sink and drainer  
2-ring ceramic hob  
Electric refrigerator  
Electric freezer  
Microwave/Grill  
Hot and cold water  
Rubbish bin  
Cupboard and drawer storage  
Drinks cupboard  
6 place crockery set  
6 place cutlery set  
Double AC socket  
Hand-held fire extinguisher  
First aid kit

### 8 Forward stateroom

Double berth  
Storage beneath  
Drawer in base-end  
2 x reading lights 24v  
Overhead shelving  
Overhead bedside cupboards  
Hanging wardrobe with mirrored door  
Shelved cupboard  
Halogen overhead lights 24v  
2 x opening porches with mosquito screens and curtains  
Deck hatch with mosquito screen  
Double AC socket  
Door to shower room  
Fitted carpet  
Flatcreen television

### 9 Forward en suite shower room

Washbasin  
Taps and accessories  
Hot and cold water  
Separate shower compartment  
Vacuum toilet  
Extractor fan  
Mirrored vanity unit  
Shelved cupboard  
Toothbrush and glass holder  
Towel ring and towels  
Overhead light  
Opening porch with mosquito screen and blind  
Shower socket 240/110v  
Soap dish

### 10 Lower saloon

Dining area with table  
Storage beneath seats  
Overhead cupboards  
Opening porches with mosquito screen and curtains  
Halogen overhead lighting 24v  
Double AC socket  
Hand-held fire extinguisher  
Fitted carpet  
Scatter cushions

### 11 Master aft stateroom

Double berth  
Cupboard and draw storage  
2 x reading lights 24v  
Overhead shelving  
Bedside drawers  
Walk in wardrobe  
Halogen overhead lights 24v  
2 x large opening and 4 x fixed porches with mosquito screens and curtains  
Double AC socket  
Door to shower room  
Fitted carpet  
Flatcreen television

### 12 Aft en suite shower room

Washbasin  
Taps and accessories  
Hot and cold water  
Separate shower compartment  
Vacuum toilet  
Extractor fan  
Mirrored vanity unit  
Shelved cupboard  
Toothbrush and glass holder  
Towel ring and towels  
Overhead light  
Opening porch with mosquito screen and blind  
Shower socket 240/110v  
Soap dish

### 13 Engine compartment and auxiliaries

Twin engines  
Soundproofing/throughout engine room  
1 x fuel tanks with electric sending unit  
Separate fuel filter/water separators  
Automatic fire extinguishers  
Engine room and forward bilge flood alarms  
2 x automatic bilge pumps  
2 x automatic flood pumps  
4 x extractor fans 24v  
Manual bilge pump

### 14 Electrical system

Slow speed generator with underwater silent exhaust and sound shield  
AC dockside connection  
Galvanic isolator  
24v and 12v DC electrical system with full circuit breaker protection  
6 x engine batteries 24v circuit  
4 x domestic batteries 24v circuit  
2 x generator batteries 12v circuit  
Alternator split charging system  
Remote battery switches controlled from locker in cockpit  
Battery charger for 24v circuits  
Battery charger for 12v circuits  
Water heater  
AC sockets throughout the boat  
24v hand light and cable

### 15 Underwater gear

Direct shaft drive through hull tunnels  
4 blade NAB bronze propellers  
Bronze P-sockets  
Stainless steel Tarnet 25 shafts  
Dripless shaft logs with bronze seal  
High performance bare udders and struts  
Seawater strainers – 2 x main engines/  
1 x generators  
Seacocks on all underwater fittings  
Full cathodic bonding system to zinc anodes  
Stainless steel hydraulic trim tabs 24v

### 16 Systems

Hydraulic power steering engine driven pump  
24v hydraulic power pack for trim tabs and platform  
24v hydraulic power pack for gangway  
Aluminium fresh water tank with electric sending unit  
24v fresh water pressure system  
Hot water tank

### 17 Miscellaneous

Boat kit  
Boat hook  
4 x mooring ropes  
6 x tenders  
Spare bulbs and fuses  
2 sets towels

### 18 Optional extras

Air conditioning  
Upgraded generator  
Tank cockpit  
Teak deck saloon  
Bow thruster  
Single berth crew cabin with toilet


### US specification includes

Air conditioning  
Upgraded generator  
US Coast Guard build regulations  
US specification appliances

---


## MAIN DECK

Optional teak cockpit



---

## LOWER DECK





THE WORLD'S FINEST LUXURY MOTOR YACHTS



Sunseeker International Limited has  
CE Approval which is compulsory  
for all boats with a GCR of 24m and  
below when sold in the EU.

\*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Set or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, on-board pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory, however by contacting us we can advise you of models that are likely to be available in such territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice.

The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to control Sunseeker International Limited, or any subsidiary or other related entity of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to manufacturers, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2007. ©Sunseeker International.

**Naval architects**  
Don Speed/Sunseeker Design  
**Exterior styling**  
Sunseeker Design  
**Interior design**  
Sunseeker Design  
**Builder**  
Sunseeker International

[www.sunseeker.com](http://www.sunseeker.com)